

Bellis perennis


# Speedstar® Plus

**Red**

Art.-Nr.: BP0203P



- Ideal for spring and fall production - perfect partner to Pansies
- Cultivation under cooler temperatures
- Early flowering, short crop time
- Compact plant habit, no PGRs required
- No vernalization required

<b>Crop Time</b>	Frühjahr: 17 - 20 Wochen , Herbst: 10 - 14 Wochen
<b>Höhe</b> 	13 cm
<b>Standort</b>	Sun - Partial shade
<b>Seed Form</b>	Pilliert
<b>Best Uses</b>	Beet und Balkon, Landschaft, Topfpflanze

## KULTURANLEITUNG

Bellis perennis Speedstar® Plus

### Verwendung

Flowering without vernalisation in fall and spring; Pot, mixed containers, borders or flower beds

### Aussaattermin

July-August for fall sales; September-November for spring sales

### Kornablage

1 or 2 pellets per plug

### Keimbedingung

7-14 days at 68 °F (20 °C), do not cover seed. After germination, gradually reduce temperatures to 60-68 °F (15-20 °C) while maintaining adequate ventilation.

### Topfen

Grow on at temperatures of 65-68 °F (18-20 °C) for fall production and 45-50 °F (7-10 °C) for spring production. Plants will flower in approximately 8-10 weeks. Sow in July for fall flowering; or October for early spring flowering. Produce both fall and spring Bellis crops under conditions similar to pansy production.

### Medien

Use a well drained growing substrate, pH: 5.5-6.3

### Temperatur

16-18 °C for fall and early spring sales or frost free to 10 °C for later spring sales.

### Düngung

Moderate fertilization levels are required

---

Stage I Starts with the radicle breaking through the testa. The roots are touching the medium. Ends with fully developed cotyledons.

Stage II Starts from fully developed cotyledons. Ends with the fully developed true leaf or true leaf pair.

Stage III Starts from the fully developed true leaf or true leaf pair and ends with 80% of the young plants being marketable.

Stage IV All young plants are ready for sale and in the process of being hardened off. This stage lasts about 7 days.

The cultural recommendations are based on results from trials conducted under Central European conditions. Different conditions in other parts of the world may lead to deviations in results achieved.

## FARBEN DER SERIE

Bellis perennis Speedstar<sup>®</sup> Plus



**Red**  
BP0203P



**Rose**  
BP0202P



**White**  
BP0204P



**Mix**  
BP0299P