

Cosmos sulphureus

# Limara



- Vibrant lemon color
- Compact plant habit
- Ideal for container gardening
- Flowering from mid spring

<b>Crop Time</b>	Frühjahr: 7 - 8 Wochen
<b>Höhe</b> 📏	20 cm
<b>Standort</b>	Sun - Partial shade
<b>Seed Form</b>	Detailed Seed
<b>Best Uses</b>	Beet und Balkon, Landschaft

## KULTURANLEITUNG

Cosmos sulphureus Limara

### Verwendung

Plants for the border, attractive pot plants with intense color.

### Aussaattermin

February-End July

### Kornablage

2-3 seeds per plug, can be sown directly into final pot

### Keimbedingung

Germinates in 5-8 days at 65-70 °F (18-21 °C). Cover seed after sowing.

### Topfen

Transplant plugs after 4-5 weeks. Grow on at temperatures of 60-65 °F (15-18 °C).

### Medien

Use a well-drained, growing substrate with 20-30 % clay, 1-2 kg/m<sup>3</sup> complete balanced fertilizer, iron-chelate, micronutrients, pH: 5.5-5.8.

### Temperatur

Grow at 15-17 °C or outdoors. Cosmos does not tolerate frost.

### Düngung

Moderate fertilization levels are required. Fertilize the crop weekly with 100-150 ppm nitrogen, using a complete balanced fertilizer. Avoid high ammonium and high nitrogen levels.

---

Stage I Starts with the radicle breaking through the testa. The roots are touching the medium. Ends with fully developed cotyledons.

Stage II Starts from fully developed cotyledons. Ends with the fully developed true leaf or true leaf pair.

Stage III Starts from the fully developed true leaf or true leaf pair and ends with 80% of the young plants being marketable.

Stage IV All young plants are ready for sale and in the process of being hardened off. This stage lasts about 7 days.

The cultural recommendations are based on results from trials conducted under Central European conditions. Different conditions in other parts of the world may lead to deviations in results achieved.

## FARBEN DER SERIE

Cosmos sulphureus Limara



**Lemon**  
CS0101D