Lupinus polyphyllus

Lupini



- FastraX perennial: First year flowering without vernalization
- Early flowering in late spring
- Genetically compact habit

Crop Time	Frühjahr: 16 - 18 Wochen
Höhe ⌀	28 cm
Standort	Sun - Partial shade
Seed Form	ApeX
Heat Zone	undetermined
Hardiness Zone	4a-7a
Product Use	Beet und Balkon, Topfpflanze

TECHNICAL GUIDE

Lupinus polyphyllus Lupini

Aussaattermin
January

Kornablage
Optimal storage: Up to 6 months at 5 °C / 41 °F

Keimbedingung
14-20 days

Temperatur
60 °F (15 °C)

Stage I Starts with the radicle breaking through the testa. The roots are touching the medium. Ends with fully developed cotyledons.
Stage II Starts from fully developed cotyledons. Ends with the fully developed true leaf or true leaf pair.
Stage III Starts from the fully developed true leaf or true leaf pair and ends with 80% of the young plants being marketable.
Stage IV All young plants are ready for sale and in the process of being hardened off. This stage lasts about 7 days.

The cultural recommendations are based on results from trials conducted under Central European conditions. Different conditions in other parts of the world may lead to deviations in results achieved.

FARBEN DER SERIE

Lupinus polyphyllus Lupini



White
LP0105T



Yellow Shades
LP0102T



Red Shades
LP0104T



Pink Shades
LP0103T



Blue Shades
LP0101T



Mix
LP0199T