



Melinis nerviglumis

Savannah

Great Structure Plant for High Value Combos



- Excellent texture for mixed containers or large landscape plantings
- Dense, velvety pink panicles
- · Long panicles blow in the wind
- Drought tolerant
- Optimal storage: up to 6 months at 5 $^{\circ}$ C / 41 $^{\circ}$ F

Technical Guide: Click here

All information in our technical guide is based on our own trials and would therefore be as guideline only. Detailed cultivation aspects vary depending on climate, location, time of year and environmental conditions. Benary expressly disclaims any responsibility for the content of such data/information and makes no representation or warranty for the cultivation of any products listed. It is recommended that growers conduct a trial of products under their own conditions.

Crop Time	Frühjahr: 20 - 22 Wochen
Höhe Ø	53 cm
Standort	Sun - Partial shade
Seed Form	Roh, BeGreen Pelleting
Best Uses	Beet und Balkon, Schnittblume



KULTURANLEITUNG

Melinis nerviglumis Savannah

Verwendung

Rock and heath garden, cut and dried flower production

Aussaattermin

December-March for green pot in May; March-May for flowering in pots from July onwards; Outdoors: from April onwards

Kornablage

4-6 seeds in plugs, sowing directly into field is recommended

Keimbedingung

7-14 days at 70-75 °F (21-24 °C). Cover seed lightly with vermiculite after sowing.

Topfen

Transplant plugs after 6-8 weeks. Grow on at 58-60 °F (14-15 °C).

Temperatur

12-15 °C

Stage I Starts with the radicle breaking through the testa. The roots are touching the medium. Ends with fully developed cotyledons.

Stage II Starts from fully developed cotyledons. Ends with the fully developed true leaf or true leaf pair.

Stage III Starts from the fully developed true leaf or true leaf pair and ends with 80% of the young plants being marketable.

Stage IV All young plants are ready for sale and in the process of being hardened off. This stage lasts about 7 days.

The cultural recommendations are based on results from trials conducted under Central European conditions. Different conditions in other parts of the world may lead to deviations in results achieved.



FARBEN DER SERIE

Melinis nerviglumis Savannah

