

Tithonia rotundifolia

Fiesta del Sol

Art.-Nr.: TR0101R



Ideal for Containers and Borders

- Mid-sized growth
- Ideal for containers, borders and landscape plantings
- Heat tolerant
- Attractive summer bloomer

Crop Time	Frühjahr: 12 - 15 Wochen
Höhe 	75 cm
Standort	Sun - Partial shade
Seed Form	Roh
Product Use	Beet und Balkon, Landschaft, Topfpflanze

TECHNICAL GUIDE

Tithonia rotundifolia Fiesta del Sol

Verwendung

Plant for bedding, summer pot and container plants, attractive for bees

Aussaattermin

February-May

Kornablage

1-3 seeds per plug

Keimbedingung

5-8 days at 64-72 °F (18-22 °C), light is required for germination

Topfen

Grow on at 53-59 °F (12-15 °C). Tithonia does not tolerate temperatures below 49 °F (10 °C).

Medien

Use a well-drained, growing substrate with 20-30 % clay, 1-1,5 kg/m³ of a complete balanced fertilizer, iron-chelate, micronutrients, pH: 5.8-6.5.

Temperatur

Grow at 12-15 °C. Tithonia does not tolerate temperatures below 10 °C, even for short time and this can cause for red-brown or yellow leaves. Tithonia does tolerate high temperatures.

Düngung

Low-moderate fertilization levels are required. Fertilize the crop weekly with 100-150 ppm nitrogen, using a complete balanced fertilizer. Avoid high ammonium and high nitrogen levels.

Stage I Starts with the radicle breaking through the testa. The roots are touching the medium. Ends with fully developed cotyledons.

Stage II Starts from fully developed cotyledons. Ends with the fully developed true leaf or true leaf pair.

Stage III Starts from the fully developed true leaf or true leaf pair and ends with 80% of the young plants being marketable.

Stage IV All young plants are ready for sale and in the process of being hardened off. This stage lasts about 7 days.

The cultural recommendations are based on results from trials conducted under Central European conditions. Different conditions in other parts of the world may lead to deviations in results achieved.

FARBEN DER SERIE

Tithonia rotundifolia Fiesta del Sol



TR0101R