

Viola wittrockiana F<sub>1</sub>

# Inspire<sup>®</sup> DeluXXe

## Red Blotch

Art.-Nr.: VW0605R/E



### Leading series in extra large-flowered Pansies

- Huge, early and long lasting flowers
- Unmatched uniformity in habit and timing
- Superior outdoor performance
- Perfect for late summer / early fall production

### Technical Guide: [Click here](#)

All information in our technical guide is based on our own trials and would therefore be as guideline only. Detailed cultivation aspects vary depending on climate, location, time of year and environmental conditions. Benary expressly disclaims any responsibility for the content of such data/information and makes no representation or warranty for the cultivation of any products listed. It is recommended that growers conduct a trial of products under their own conditions.

|   |                             |
|---|-----------------------------|
| <b>Crop Time</b>  | Herbst: 12 - 14 Wochen      |
| <b>Höhe</b>    | 18 cm                       |
| <b>Breite</b>  | 18 cm                       |
| <b>Standort</b>   | Sun                         |
| <b>Seed Form</b>  | Roh, BeGreen Priming        |
| <b>Best Uses</b>  | Beet und Balkon, Landschaft |

## KULTURANLEITUNG

Viola wittrockiana F<sub>1</sub> Inspire® DeluXXe

### Verwendung

Packs, Pots, Mixed Containers and Landscape/Mass plantings

### Kornablage

1 seed per plug

### Keimbedingung

Optimum conditions for seedling development, beginning on the day of sowing until radicle emergence. Expect radicle emergence in 2-4 days.

### Temperatur

65-68 °F (18-20 °F) until radicle emergence, then lower the temperature gradually to 62-65 °F (17-18 °C).

### Düngung

Begin feeding early using a calcium based fertilizer at lower rates to keep the an adequate amount of calcium and nitrogen supplied to the seedlings. On days 5-7 begin feeding with a calcium based fertilizer (14-2-14, 13-2-13, 15-5-15, 17-5-17) at 50-60 ppm. Maintain the EC between 0.5 and 0.75. Keep phosphorous levels between 6-8 ppm and boron supplied at 0.5 ppm.

---

Stage I Starts with the radicle breaking through the testa. The roots are touching the medium. Ends with fully developed cotyledons.

Stage II Starts from fully developed cotyledons. Ends with the fully developed true leaf or true leaf pair.

Stage III Starts from the fully developed true leaf or true leaf pair and ends with 80% of the young plants being marketable.

Stage IV All young plants are ready for sale and in the process of being hardened off. This stage lasts about 7 days.

The cultural recommendations are based on results from trials conducted under Central European conditions. Different conditions in other parts of the world may lead to deviations in results achieved.

## FARBEN DER SERIE

Viola wittrockiana F<sub>1</sub> Inspire® DeluXXe



**Blue Surprise**  
VW0601R/E



**Deep Blue Blotch**  
VW0602R/E



**Deep Rose Blotch**  
VW0607R/E



**Denim**  
VW0603R/E



**Light Rose Blotch**  
VW0614R/E



**Ocean**  
VW0604R/E



**Orange**  
VW0615R/E



**Pink Surprise Blotch**  
VW0606R/E



**Red Blotch**  
VW0605R/E



**Rose Velour**  
VW0608R/E



**White**  
VW0610R/E



**White Blotch**  
VW0611R/E



**White Violet Wing**  
VW0609R/E



**Yellow**  
VW0612R/E



**Yellow Blotch**  
VW0613R/E



**Blotch Mix**  
VW0698R/E



**Maxi Mix**  
VW0699R/E