

Sedum rubens

Lizard

Art.-Nr.: SR0101R/P



- Extremely short crop time
- Great accent plant for mixed containers
- Heat and drought tolerant
- BeGreen Pelleted: Chemical and microplastic-free

| Crop Time | Frühjahr: 9 - 11 Wochen |
|----------------|------------------------------|
| Höhe Ø | 10 cm |
| Standort | Sun |
| Seed Form | Roh, BeGreen Pelleting |
| Heat Zone | 8-3 |
| Hardiness Zone | 3a-9b |
| Product Use | Beet und Balkon, Steingarten |



TECHNICAL GUIDE

Sedum rubens Lizard

Verwendung

Pots, mixed containers and rock gardens

Kornablage

3-5 seeds per plug, sowing directly into final pot is recommended

Keimbedingung

Stage 1 (10-18 days)

Topfen

Transplant plugs after 4-5 weeks. Maintain temperatures of 50-65 °F (10-18 °C). Fertilize at 100 ppm nitrogen. Sedum does not require high fertilization levels.

Medien

Use a well-drained, growing substrate,1-1,5 kg/m³ complete balanced fertilizer, 0-2 kg/m³ slow release fertilizer (3-9 months), iron-chelate, micronutrients, pH 5.5-7.0.

Temperatur

Grow at 10-18 °C.

Düngung

Low-moderate fertilization levels are required. Fertilize the crop weekly with 80-100 ppm nitrogen (at 2 kg/m³ slow release fertilizer in substrate), using complete balanced fertilizer.

Stage I Starts with the radicle breaking through the testa. The roots are touching the medium. Ends with fully developed cotyledons.

 $Stage\ II\ Starts\ from\ fully\ developed\ cotyledons.\ Ends\ with\ the\ fully\ developed\ true\ leaf\ pair.$

 $Stage III \ Starts \ from \ the \ fully \ developed \ true \ leaf \ pair \ and \ ends \ with \ 80\% \ of \ the \ young \ plants \ being \ marketable.$

Stage IV All young plants are ready for sale and in the process of being hardened off. This stage lasts about 7 days.

The cultural recommendations are based on results from trials conducted under Central European conditions. Different conditions in other parts of the world may lead to deviations in results achieved.



FARBEN DER SERIE

Sedum rubens Lizard

