

Pennisetum glaucum

# Inky



- Striking, large, red flower spikes on reddish-brown foliage
- Drought tolerant, vigorous millet grass
- Eye-catcher in mass landscape plantings, especially in autumn

## Technical Guide: [Click here](#)

All information in our technical guide is based on our own trials and would therefore be as guideline only. Detailed cultivation aspects vary depending on climate, location, time of year and environmental conditions. Benary expressly disclaims any responsibility for the content of such data/information and makes no representation or warranty for the cultivation of any products listed. It is recommended that growers conduct a trial of products under their own conditions.

<b>Crop Time</b>	Frühjahr: 14 - 16 Wochen
<b>Höhe</b> 	110 cm
<b>Breite</b> 	35 cm
<b>Standort</b>	Sun - Partial shade
<b>Seed Form</b>	Roh
<b>Best Uses</b>	Landschaft, Topfpflanze

## KULTURANLEITUNG

Pennisetum glaucum Inky

### Kornablage

4-6 seeds per plug.

### Keimbedingung

Optimum conditions for seedling development, beginning on the day of sowing until radicle emergence. Expect germination in 5-8 days.

### Temperatur

Plug culture: 22-24 °C (72-76 °F) until radicle emergence, then reduce to 20 °C (68 °F) during day and night.

Growing on: 18-20 °C (64-68 °F) during day and night. Higher temperatures shorten the crop time of this warm-season crop.

### Düngung

Plug culture: Maintain an EC <0.7. Use a balanced fertilizer. Feeding should start <100 ppm N and gradually work up to 100-175 ppm N.

Growing on: High fertilization levels are required to avoid leaf chloroses. Feed with 150-200 ppm N using a complete fertilizer. Plants with nutrient deficiency will not perform well after transplanting.

## FARBEN DER SERIE

Pennisetum glaucum Inky



PG3001R