Eragrostis spectabilis

Snuggy



- Coarsely-textured foliage with compact growth
- Drought tolerant, for sandy soils
- Showy, easy-care grass for landscape plantings

Crop Time	Frühjahr: 12 - 14 Wochen
Höhe ⌀	55 cm
Breite ⌀	55 cm
Standort	Sun - Partial shade
Seed Form	BeGreen ApeX Pelleted
Hardiness Zone	5-10
Product Use	Landschaft
Foliage Color	Green
Plume Color	Green

TECHNICAL GUIDE

Eragrostis spectabilis Snuggy

Plug Culture
Optimal storage: Up to 6 months at 5 °C / 41 °F

Germination: Optimum conditions for seedling development, beginning on the day of sowing until radicle emergence. Expect germination in 10-14 days.

Cover: No cover is required.

Sowing method: 4-6 seeds per plug.

Media: pH 5.5-6.2; EC <0.7

Temperature: 22-24 °C (72-76 °F) until radicle emergence, then reduce to 18-20 °C (64-68 °F) during day and night.

Moisture: Begin with a wet (4) for the first two weeks. Then alternate between moisture levels moist (3) and dry (1) to maintain a good wet to dry cycle. Avoid overwatering.

Light: Light is required for germination. Provide light levels of 30,000 lx which can be increased to 50,000 lx before transplanting.

Fertilizer: Maintain an EC <0.7. Use a nitrate-based fertilizer with low phosphorus. Feeding should start <100 ppm N and gradually work up to 100-175 ppm N.

Growth Regulators: Not required.

Growing On
Media: pH 5.5-6.2; EC 1.0-1.2

Temperature: Cooler temperatures promote a compact, round plant habit in pots. Warmer temperatures shorten the crop time.

Moisture: A rather dry cultivation in a well-drained soil is recommended to keep the plants healthy. Avoid overwatering.

Light: High light levels and long days are required to force plants into plume.

Fertilizer: Regular fertilization is not needed. If desired, a light application of a balanced fertilizer can be used.

Growth Regulators: Not required.

Pests & Diseases: Aphids, leaf spot.

Plug & Finished Crop Time
Plug Crop Time

288 tray: 6-7 weeks

Finished Crop Time

10-12 cm (4-5") pots (1*): 6-7 weeks

15-19 cm (6-7") pots (3*): 7-8 weeks

Moisture Codes

Saturated (5)	Water is easily observed when finger is pressed on cell. Water moves freely from the top of the plug to the bottom.
Wet (4)	Media looks black and is not glistening. The media feels wet to the touch but there is very little water movement.
Moist (3)	Water is not easily visible. When finger is pressed on the cell there is very little movement from top to bottom.
Medium (2)	Media is not black, but now looks medium brown. There is no water movement when pressed with finger.
Dry (1)	Media has changed color to a very light brown and is dry to the touch.

All information in our technical guide is based on our own trials and would therefore be as guideline only. Detailed cultivation aspects vary depending on climate, location, time of year and environmental conditions. Benary expressly disclaims any responsibility for the content of such data/information and makes no representation or warranty for the cultivation of any products listed. It is recommended that growers conduct a trial of products under their own conditions.

FARBEN DER SERIE

Eragrostis spectabilis Snuggy



ES0101P