Verbena speciosa

Imagination®

Art.-Nr.: VS0101E



Compact Ground Cover

- Delicate, well-branched plants
- Intense deep violet color
- Well-suited for all locations and conditions

Crop Time	Frühjahr: 12 - 14 Wochen
Höhe ⌀	30 cm
Breite ⌀	35 cm
Standort	Sun - Shade
Seed Form	BeGreen Priming
Product Use	Beet und Balkon, Ampel

TECHNICAL GUIDE

Verbena speciosa Imagination®

Verwendung
Pot and container plants, plants for window boxes, bedding, plants for hanging basket, a good ground cover

Aussaattermin
Mid January-End March

Kornablage
2-3 seeds per plug

Keimbedingung
14-21 days at 70-75 °F (21-24 °C). Cover seed lightly with vermiculite after sowing.

Topfen
Transplant plugs after 5 weeks. Grow on at 60-65 °F (15-18 °C).

Media
Use a well-drained, growing substrate with 20-30 % clay, 1-1,5 kg/m^3 complete balanced fertilizer, 0-2 kg/m^3 slow release fertilizer (3-6 months), iron-chelate, micronutrients, pH: 5.5-6.0. For hanging basket production the application of a slow release fertilizer is recommended.

Temperatur
Grow at 16-18 °C. For early selling the plants should be hardened slowly at 10-15 °C for 14 days. Verbena speciosa does not tolerate frost.

Düngung
High fertilization levels are required. Fertilize the crop weekly with 250-350 ppm nitrogen (at 0 kg/m^3 slow release fertilizer in substrate), using alternating a calcium nitrate fertilizer and a potassium balanced fertilizer (N: K_2O-ratio: 1:1,5). Avoid high ammonium and high nitrogen levels. Take care of a good potassium level in substrate. A good potassium nutrition decreases the risk of fungi infection, because the plant tissues get a high stability. The color of the foliage is improved, too. Prevent magnesium deficiency by applying magnesium sulphate (0,05 %) 1-2 times and in case of iron deficiency apply iron-chelate for 1-2 times.

Stage I Starts with the radicle breaking through the testa. The roots are touching the medium. Ends with fully developed cotyledons.
Stage II Starts from fully developed cotyledons. Ends with the fully developed true leaf or true leaf pair.
Stage III Starts from the fully developed true leaf or true leaf pair and ends with 80% of the young plants being marketable.
Stage IV All young plants are ready for sale and in the process of being hardened off. This stage lasts about 7 days.

The cultural recommendations are based on results from trials conducted under Central European conditions. Different conditions in other parts of the world may lead to deviations in results achieved.

FARBEN DER SERIE

Verbena speciosa Imagination®



VS0101E